



## Octocure 456

CHEMICAL NAME: Sulfur

PHYSICAL FORM: Aqueous, liquid dispersion

PRODUCT SPECIFICATIONS		METHODS
Solids	69.0 - 71.0 %	SCC-040
Viscosity	500 - 1500 cps.	VDC-070
pH	9.0 - 11.0	PHC-010
Particle Size	< 10 microns, avg.	PSC-300

### PRODUCT DESCRIPTION:

Octocure 456 is a 68% active anionic dispersion of rubbermaker's sulfur, ball-milled to a uniformly small particle size for optimum activity. Recommended use level is 1.0 - 3.0 parts per hundred of polymer based on dry weight for the vulcanization of SBR and Natural rubber latex.

Sulfur has approval by the FDA for use under the following: CFR 21, Sections 175.105, 177.1210, 177.2600.

All of the ingredients used in this product are listed on the TSCA Inventory and the Canadian, DSL.

### STORAGE AND HANDLING:

Containers should be kept tightly closed. Contents should be stirred using mechanical agitation prior to use. Protect from freezing (32 deg. F.).

The information provided herein is believed to be reliable; however, no guarantees are made or liability assumed. Tiarco Chemical makes no claims or warranties concerning the suitability of the product for a particular use or purpose.