



## Octocure 750

CHEMICAL NAME: Sulfur  
PHYSICAL FORM: Aqueous, liquid dispersion

PRODUCT SPECIFICATIONS		METHODS
Solids	64.0 - 66.0 %	SCC-040
Viscosity	500 – 5000 cps.	VDC-070
pH	9.0 - 11.5	PHC-010
Particle Size	7 microns, avg.	PSC-300

### PRODUCT DESCRIPTION:

Octocure 750 is a 61.8 % active dispersion of rubbermaker's sulfur, ball-milled to a uniformly small particle size for optimum activity. Recommended use level is 2.0 - 3.0 parts per hundred of polymer based on dry weight for the vulcanization of SBR and Natural rubber latex.

Sulfur has approval by the FDA for use under the following: CFR 21, Sections 175.105, 177.1210, 177.2600.

All of the ingredients used in this product are listed on the TSCA Inventory.

### STORAGE AND HANDLING:

Containers should be kept tightly closed. Contents should be stirred using mechanical agitation prior to use. Protect from freezing (32 deg. F.).

The information provided herein is believed to be reliable; however, no guarantees are made or liability assumed. Tiarco Chemical makes no claims or warranties concerning the suitability of the product for a particular use or purpose.