

Octomer DIBM

Plasticizer

CHEMICAL DESCRIPTION:

Di-isobutyl Maleate
(CAS # 14234-82-3)

PHYSICAL FORM:

Clear liquid, colorless to yellow

PRODUCT SPECIFICATIONS

METHODS

Color	50, max., APHA	CDC-520
Specific Gravity	0.98 - 0.99	SGC-400
Acid Number	< 1.0	ACC-030
Moisture	0.15 %	KAR-680

PRODUCT DESCRIPTION:

Octomer DIBM has applications in copolymerization, as a plasticizer in vinyl resins, and as an intermediate for manufacturing surfactants.

All of the ingredients used in this product are listed on the TSCA Inventory, European EINECS/ELINCS, and Canadian, DSL.

STORAGE AND HANDLING:

Containers should be kept tightly closed and should be stored in original packaging under dry and cool conditions away from direct sources of heat or sunlight. Make sure the part drum is used quickly and that all stock is rotated on a first-in, first-out basis. Contents should be stirred using mechanical agitation prior to use, if possible. Shelf life expected one year from date of shipment provided the material is stored at proper temperatures and containers remain tightly closed. Protect from freezing (40 - 90 deg. F.)

04/07;09/95

The information provided herein is believed to be reliable; however, no guarantees are made or liability assumed. Tiarco Chemical makes no claims or warranties concerning the suitability of the product for a particular use or purpose.

1300 Tiarco Dr. SW; Dalton, GA 30720 USA; Tele: 706-270-5959; Fax: 706-277-9039