



Octowet 70 MS

CHEMICAL DESCRIPTION: Sodium dioctyl sulfosuccinate
(CAS # 577-11-7)
PHYSICAL FORM: Octowet 70MS is an anionic surfactant
(70% DOSS) in mineral spirits.

| PRODUCT SPECIFICATIONS | | METHODS |
|------------------------|---------------|---------|
| Solids | 69.0 – 71.0 % | SCC-040 |
| pH | 5.0 - 7.0 | PHC-010 |
| Color | < 100 APHA | CDC-520 |
| Iodine Value | < 0.15 | INC-110 |
| Moisture | <0.50 % | KAR-680 |

PRODUCT DESCRIPTION:

Octowet is very effective at low concentrations for applications as a high-speed wetting agent in dyeing and washing operations for the textile industry. Octowet is widely used as a penetrant and emulsifier for many textile applications in the areas of preparation, dyeing and finishing. Recommended use level is .50 - 1.5 parts per hundred.

STORAGE AND HANDLING:

Octowet 70MS is available in 55 gallon plastic drums. For bulk storage, stainless steel tanks are recommended. Do not store in high heat areas, or near fire or open flame. Use proper bonding and grounding during liquid transfer as described in National Fire Protection Association document NFPA 77. Octowet should not be stored at temperatures below 32 degrees Fahrenheit.

The information provided herein is believed to be reliable; however, no guarantees are made or liability assumed. Tiarco Chemical makes no claims or warranties concerning the suitability of the product for a particular use or purpose.

1300 Tiarco Dr. SW; Dalton, GA 30720 USA; Tele: 706-270-5959; Fax: 706-277-9039