



Octowet 70PG

CHEMICAL DESCRIPTION: Sodium dioctyl sulfosuccinate
(CAS # 577-11-7)

PHYSICAL FORM: Octowet 70PG is a 70% solution (70% DOSS)
in water and propylene glycol.

PRODUCT SPECIFICATIONS		METHODS
Solids	69.0 - 71.0 %	SCC-040
pH	5.0 - 7.0	PHC-010
Color	< 100 APHA	CDC-520
Acid Value	< 2	ACC-030
Draves Wetting Speed	< 5 sec. @ 0.075%	WSP-190
Iodine Value	< 0.15	INC-110
Density (Wt. per Gallon)	9.0 - 9.1 lbs./gal.	WGC-320
Viscosity	200 - 400 cps.	VDC-070

PRODUCT DESCRIPTION:

Octowet is very effective at low concentrations for applications as a high-speed wetting agent in dyeing and washing operations for the textile industry. Octowet is widely used as a penetrant and emulsifier for many textile applications in the areas of preparation, dyeing and finishing. Octowet 70PG is formulated so as to provide the surfactant in a non-flammable aqueous form. The recommended use level is .50 - 1.5 parts per hundred.

Sodium dioctylsulfosuccinate has approval by the FDA for use under the following: CFR 21, Sections: 175.105, 175.300, 176.170, 176.210, 177.1200, 177.2800, and 178.3400. Octowet 70PG is listed for use under the following CFR 21 Sections: 175.300, 175,320, 176.180, 176.210, and 177.2800.

All of the ingredients used in Octowet 70PG are listed on the TSCA inventory.

STORAGE AND HANDLING:

Octowet 70PG is available in 55 gallon metal drums. For bulk storage, stainless steel tanks are recommended. Octowet should not be stored at temperatures below 32 degrees Fahrenheit.

The information provided herein is believed to be reliable; however, no guarantees are made or liability assumed. Tiarco Chemical makes no claims or warranties concerning the suitability of the product for a particular use or purpose.